UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/559,594	12/05/2005	Menny Sherman	P-7258-US	9148
	7590 03/11/200 dek Latzer, LLP	EXAMINER		
1500 Broadway 12th Floor		TIEU, BINH KIEN		
New York, NY	10036	ART UNIT	PAPER NUMBER	
			2614	
			MAIL DATE	DELIVERY MODE
			03/11/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Applica	ation No.	Applicant(s)	Applicant(s)			
		10/559	10/559,594 SHERMAN, MENNY		INY			
		Examir	ier	Art Unit				
		/BINH P	K. TIEU/	2614				
Period fo	The MAILING DATE of this commun or Reply	nication appears on	the cover sheet v	with the correspondence a	ddress			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1) 又	Responsive to communication(s) file	ed on <i>21 Septembe</i>	r 2007					
2a)□	This action is FINAL . 2b)⊠ This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
- , —	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)🖂	Claim(s) 1-22 is/are pending in the a	application.						
•	4a) Of the above claim(s) is/are withdrawn from consideration.							
	5) Claim(s) is/are allowed.							
6)🖂	6)⊠ Claim(s) <u>1-22</u> is/are rejected.							
7)								
8)□	Claim(s) are subject to restrict	ction and/or election	n requirement.					
Applicati	on Papers							
9)	The specification is objected to by th	e Examiner.						
10)	The drawing(s) filed on is/are	: a) <u></u> accepted or	b) objected to	by the Examiner.				
	Applicant may not request that any obje	ction to the drawing(s	s) be held in abeya	ance. See 37 CFR 1.85(a).				
	Replacement drawing sheet(s) including	g the correction is req	uired if the drawin	g(s) is objected to. See 37 C	FR 1.121(d).			
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	ınder 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
2) Notic 3) Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (F nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date 11/07/2005	PTO-948)	Paper No	y Summary (PTO-413) o(s)/Mail Date i Informal Patent Application 				

Application/Control Number: 10/559,594 Page 2

Art Unit: 2614

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1, 3-5, 7-8, 11 and 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Faulkner et al. (US. Pat. #: US 6,385,297) in view of Posthuma (US. Pat. #: 6,496,566).

Regarding claim 1, Faulkner et al. (Hereinafter, "Faulkner") teaches a method comprising:

electrically connecting a first terminal of a measurement device to both wires of a twisted wire pair of a telephone line, (i.e., in figure 2, voltage source 30 of measurement unit 18

comprises two terminals, one of them connected to the pair of wires T and R through resistors R1 and R1, col.8, lines 65-66);

electrically connecting a second terminal of said measurement device to a common reference (i.e., the other terminal of the voltage source of the measurement unit 18 is connected to ground potential, see col.8, lines 63-64); and

performing an impairment line testing on said telephone line from said measurement device toward said subscriber (col.8, line 67 through col.9, line 64).

It should be noticed that Faulkner fails to clearly teach the feature of said telephone line which interconnects a telephone card with a subscriber. However, Posthuma teaches such feature in figure 1, note col.1, lines 38-51 for a purpose of testing of a subscriber loop for both voice and DSL services.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of said telephone line which interconnects a telephone card with a subscriber, as taught by Posthuma, into view of Faulkner in order to provide telecommunication services such as routing both data and voice services to subscriber.

Regarding claim 3, Faulkner further teaches one terminal of the voltage source 30, as shown in figure 2, being connected to a common ground (col.8, lines 63-64).

Regarding claim 7, Faulkner teaches a method comprising:

Regarding claim 4, Faulkner further teaches limitations of the claim in col.12, lines 6-15. Regarding claim 5, Faulkner further teaches limitations of the claim in col.7, lines 2-3.

automatically and sequentially performing an impairing line testing on a plurality of telephone lines, at least a portion of said telephone lines are active phone line (see col.11, line 48 through col.13, line 14).

Page 4

It should be noticed that Faulkner fails to clearly teach the feature of testing said telephone line without disconnecting said active telephone lines from their respective telephone line cards. However, Posthuma teaches such feature in figure 1, note col.1, line 57 through col.2, line 14 for a purpose of testing of a subscriber loop for both voice and DSL services.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of testing said telephone line without disconnecting said active telephone lines from their respective telephone line cards, as taught by Posthuma, into view of Faulkner in order to provide telecommunication services such as routing both data and voice services to subscriber.

Regarding claim 8, note col.7, lines 2-3.

Regarding claim 11, Faulkner further teaches limitations of the claim in figure 2, note col.8, line 63 through col.9, line 64.

Regarding claim 13, note one terminal of the voltage source 30, as shown in figure 2, being connected to a common ground (col.8, lines 63-64).

Regarding claim 14, Faulkner further teaches limitations of the claim in col.12, lines 6-15.

Regarding claim 15, the same procedure for testing the active telephone lines as discussed above to be obviously applied in a manner for testing a spare telephone line.

Application/Control Number: 10/559,594 Page 5

Art Unit: 2614

3. Claims 2 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Faulkner et al. (US. Pat. #: US 6,385,297) in view of Posthuma (US. Pat. #: 6,496,566) as applied to claim 1 above, and further in view of Charland (US. Pat. #: 5,550,894).

Regarding claims 2 and 12, Faulkner and Posthuma, in combination, teaches all subject matters as claimed above, except for the feature of electrically connecting said terminal of a measurement unit comprising short-circuiting between said devices. However, Charland teaches a measurement device as shown figure 2 comprising a plurality of switches wherein a switch 42 is configured as a short switch connected across the tip and ring conductor of the telephone (see col.9, lines 35-36) for a purpose of testing the subscriber line for a short circuit.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of electrically connecting said terminal of a measurement unit comprising short-circuiting between said device, as taught by Charland, into view of Faulkner and Posthuma in order to testing the subscriber line for a short circuit.

4. Claims 6 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Faulkner et al. (US. Pat. #: US 6,385,297) in view of Posthuma (US. Pat. #: 6,496,566) as applied to claim 1 above, and further in view of Schneider (US. Pat. #: 6,215,855).

Regarding claims 6 and 9, Faulkner and Posthuma, in combination, teaches all subject matters as claimed above, except for the feature of connecting the measurement device to the twisted wire pair through a main distribution frame. However, Schneider teaches a system and a method for measuring and certifying a subscriber telephone loop for xDSL services as shown in figure 3. Schneider further teaches that a central office test device, such as Test (CO) 165 is

connected to subscriber via the MDF 101 (see col.12, lines 44-57) for a purpose of testing and certifying a subscriber telephone line for xDSL services.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of connecting the measurement device to the twisted wire pair through a main distribution frame, as taught by Schneider, into view of Faulkner and Posthuma in order to test and certify a subscriber telephone line for xDSL services.

5. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Faulkner et al. (US. Pat. #: US 6,385,297) in view of Posthuma (US. Pat. #: 6,496,566) as applied to claim 7 above, and further in view of Posthuma (US. Pat. #: 6,456,694).

Regarding claim 10, Faulkner and Posthuma '566, in combination, teaches all subject matters as claimed above, except for the feature of performing said line testing on one of said active lines when said active line is carrying telephone signals. However, Posthuma '694 teaches such features in col.5, lines 38-58 for a purpose of determining the high speed service capabilities of the line.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of performing said line testing on one of said active lines when said active line is carrying telephone signals, as taught by Posthuma '694, into view of Faulkner and Posthuma '566 in order to determine the high speed service capabilities of the line.

Application/Control Number: 10/559,594

Page 7

Art Unit: 2614

6. Claims 16 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Faulkner et al. (US. Pat. #: US 6,385,297) in view of Posthuma (US. Pat. #: 6,456,694).

Regarding claim 16, Faulkner teaches a test control system comprising measurement units 18 connecting to switch 12, as shown in figure 1. The measurement units 18 are adapted to test subscriber twisted pairs connected to the switch 12 either on demand, or automatically, from a preprogrammed list of lines. Each of the measurement units 18 has access to every subscriber through the switch 12. The unit 18 gains access to test a subscribers loop through a switched test bus. Thus the switched test bus read on a line selector unit connectable to the twisted wire pairs of telephone lines able to select one of said wire pairs for an impairment line testing (see col.6, lines 6-24). Faulkner further teaches in figure 2 the configuration of the measurement units 18 comprising a voltage source 30 of measurement unit 18 having two terminals, one of them connected to the pair of wires T and R through resistors R1 and R1, col.8, lines 65-66); and the other terminal of the voltage source of the measurement unit 18 is connected to ground potential, see col.8, lines 63-64).

It should be noticed that Faulkner fails to clearly teach a line status detector to identify the status of said telephone lines and as an active telephone line. However, Posthuma '694 teaches such features in col.5, lines 38-58 for a purpose of determining the high speed service capabilities of the line.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of performing said line testing on one of said active lines when said active line is carrying telephone signals, as taught by Posthuma '694,

into view of Faulkner and Posthuma '566 in order to determine the high speed service capabilities of the line.

Regarding claim 18, Faulkner further teaches one terminal of the voltage source 30, as shown in figure 2, being connected to a common ground (col.8, lines 63-64).

Regarding claim 19, Faulkner further teaches limitations of the claim in col.12, lines 6-15.

Regarding claim 20, Faulkner further teaches the controller 16 and other limitations of the claim in col.9, lines 25-64...

7. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Faulkner et al. (US. Pat. #: US 6,385,297) in view of Posthuma (US. Pat. #: 6,456,694) as applied to claim 1 above, and further in view of Charland (US. Pat. #: 5,550,894).

Regarding claim 17, Faulkner and Posthuma '694, in combination, teaches all subject matters as claimed above, except for the feature of electrically connecting said terminal of a measurement unit comprising short-circuiting between said devices. However, Charland teaches a measurement device as shown figure 2 comprising a plurality of switches wherein a switch 42 is configured as a short switch connected across the tip and ring conductor of the telephone (see col.9, lines 35-36) for a purpose of testing the subscriber line for a short circuit.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of electrically connecting said terminal of a measurement unit comprising short-circuiting between said device, as taught by Charland, into view of Faulkner and Posthuma in order to testing the subscriber line for a short circuit.

8. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Faulkner et al. (US. Pat. #: US 6,385,297) in view of Posthuma (US. Pat. #: 6,456,694) as applied to claim 16 above, and further in view of Posthuma (US. Pat. #: 6,496,566).

Regarding claim 21, Faulkner and Posthuma '694, in combination, teaches all subject matters as claimed above, except for the feature of said configuration unit comprising a splitter, said splitter is able to prevent signals having a frequency below a predetermined threshold to be transmitted from said measurement unit to said selected telephone line. However, Posthuma '566 teaches a splitter, such as splitter 24 shown in figure 1, see col.1, line 57 through col.2, line 2 for a purpose of filtering unwanted characteristics fro the subscriber loops.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of said configuration unit comprising a splitter, said splitter is able to prevent signals having a frequency below a predetermined threshold to be transmitted from said measurement unit to said selected telephone line, as taught by Posthuma '566, into view of Faulkner and Posthuma '694 in order to filter unwanted characteristics fro the subscriber loops.

9. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Faulkner et al. (US. Pat. #: US 6,385,297) in view of Posthuma (US. Pat. #: 6,456,694) as applied to claim 16 above, and further in view of Mohajeri et al. (US. Pat. #: 6,850,618)

Regarding claim 22, Faulkner and Posthuma '694, in combination, teaches subject matters above, except for the feature of said splitter being able to provide substantially low impedance emulating a short-circuit between said first wire and second wire at frequencies above

Application/Control Number: 10/559,594 Page 10

Art Unit: 2614

said predetermined threshold. However, Mohajeri et al. ("Mohajeri") teaches such features in col.2, line 59 through 3, line 9 for a purpose of testing subscriber telephone lines for either short circuit or open circuit.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the feature of a splitter being able to provide substantially low impedance emulating a short-circuit between said first wire and second wire at frequencies above said predetermined threshold, as taught by Mohajeri, into view of Faulkner and Posthuma '694 in order to test subscriber telephone lines for either short circuit or open circuit.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Binh K. Tieu whose telephone number is (571) 272-7510 and E-mail address: BINH.TIEU@USPTO.GOV.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Curtis Kuntz, can be reached on (571) 272-7499 and IF PAPER HAS BEEN MISSED FROM THIS OFFICIAL ACTION PACKAGE, PLEASE CALL CUSTOMER SERVICE FOR THE SUBSTITUTIONS OR COPIES.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Or faxed to:

(571) 273-8300

Hand Carry Deliveries to:

Customer Service Window

(Randolph Building)

401 Dulany Street

Alexandria, VA 22314

Application/Control Number: 10/559,594

Art Unit: 2614

In formation regarding the status of an application may be obtained from the Patent Application Information Retrieval (FAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the FAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/BINH K. TIEU/

Primary Examiner Technology Division 2614

Page 11

Date: February 2008